



Dyeing

		Padding auxiliary for continuous dyeing of piece goods composed of cotton, polyester, and polyester/cotton blends.
		It is used for increasing penetration and color yield &as leveling and dispersing for reactive printing & digital
		printing
2 GBcid FM Buffer of organic acids for use in dyeing and printing, pH stability of		Buffer of organic acids for use in dyeing and printing, pH stability of buffer solution are comparable to Eulysin S
		buffer & stronger than acetic acid.
		And When GBcid FM is used to neutralize cotton or blends over flow rinsing of 10-15 min to reduce PH to around 8-
		9 then you add GBcid FM
3	GBcid AS	Buffer of organic acids for use in dyeing and printing.
4	GBalkaline buffer &	Alkaline buffer for the alkaline dyeing of PES fibers in order to avoid oligomer deposits as well as reactive dyeing
	leveler	leveling & buffer (no need to add alkali for fixation) & Replacing soda ash
5 GBdispersing BL All-purpose, liquid dye-dispersing agent.		All-purpose, liquid dye-dispersing agent.
		No change of shades ,no silicates.,& is very light Brown in coloretc
6	GB dispersing WS	Light beige universal high quality anionic dispersing agent for dyes.
		No change of shades, no silicates., powder is very light beige in coloretc
7	GB reduction	Liquid reducing agent for clearing dyeings on polyester, polyacrylonitrile, cellulose acetate and blends of these. For
	clearing ECO	use in dye baths in the acidic range. reducing time, energy & water.
8	GB reduction	Highly concentrated Liquid reducing agent for clearing dyeing on polyester, polyacrylonitrile, cellulose acetate and blends
	clearing ECO plus	of these. For use in dye baths at any PH. reducing time, energy & water

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9,square 1163,El Shaheed Fouad Thabet St.,El Wozara square Sheraton Heliopolis.Cairo- Egypt

Tel: +20222683983, +201228099699 , +202 2268466 E-mail: logistics@gb-chem.net , gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt

Tel.:+203 4819240, +201221148181 , +203 4817565 E-mail: logistics@gb-chem.net , gbchemalex@gb-chem.net





Dyeing

9	GBkol SN 2	Economical Dispersing agent, protective colloid and complexing agent for use in all stages of dyeing processes for		
		cotton and blends of cotton and other fibers.		
10	GBkol SN	Dispersing agent, protective colloid and complexing agent for use in all stages of dyeing processes for cotton and		
		blends of cotton and other fibers.		
11	GBkol SN 100	Highest concentrated Dispersing agent, protective colloid and complexing agent for use in all stages of dyeing		
		processes for cotton and blends of cotton and other fibers (high concentrated).		
12	GB kol Knit Leveler	High dispersing effect, Protective colloid & High sequestering power without Lubricant (100 % Paste), for		
		aftertreatment reactive, direct dyeing (easily dissolved in water).		
13	GBleveler WO/PA	Versatile dyeing auxiliary for WO/PA as a levelling agent and for improving the rub fastness of dyeings with 1:1		
		metal-complex, acid dyes on wool and of dyeings on half-wool & nylon.		
14	GB leveler SFD	APEO-free levelling agent for dyeing polyester fibers under HT conditions, ensures uniform exhaustion of disperse		
		dyes and promotes levelling-out in the HT phase and penetrating agent in printing e.g. flag printing (phethalate free).		
15	GBleveler SFD New	APEO-free levelling agent for dyeing polyester fibers under HT conditions, ensures uniform exhaustion of disperse		
		dyes and promotes levelling-out in the HT phase and penetrating agent in printing e.g. flag printing (phethalate free).		
16	GB vat Leveler P	Leveling agent for vat dyes improves the levelness of exhaust dyeings with vat dyes on cellulosic fibers, generally		
	Liquid	without affecting the colour yield.		
17	GB ojet BDS	Very economical dispersing, sequestering and buffering versatile multi. purpose liquid auxiliary for use in polyester		
		dyeing etc (one shot including non volatile Acid buffer).		
18	GB ojet PELS	APEO-free combined dispersing and levelling agent for dyeing PES fibres with disperse dyes under HT conditions &		
		replacing carrier. greatly reduces deposition of PES oligomers on fibers and in dyeing machines (one shot product)		
		(phethalate free)		

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9,square 1163,El Shaheed Fouad Thabet St.,El Wozara square Sheraton Heliopolis.Cairo- Egypt

Tel: +20222683983, +201228099699 , +202 2268466 E-mail: logistics@gb-chem.net , gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt

Tel.:+203 4819240, +201221148181 , +203 4817565 E-mail: logistics@gb-chem.net , gbchemalex@gb-chem.net





Dyeing

19	GB ojet PELS New	APEO-free combined dispersing and levelling agent for dyeing PES fibers with disperse dyes
		under HT conditions & replacing carrier. greatly reduces deposition of PES oligomers on fibers
		and in dyeing machines (one shot product) (phethalate free).
20	GB antishrink ASA	For restricting the permanent setting of wool during dyeing & as acid demineralization Dyeing
		wool at the boil leads to permanent setting of the fiber, and this has a detrimental effect on
		processing and product performance which is restricted by using it.
21	GBkol RSA	Universal after soaping agent for removing unfixed reactive dye from cellulosic materials.
22	GBleveler & degreaser X	High concentrated Vat leveler, (APEO free & Formaldehyde free)
		General leveler for all types of dyes.
		• Removes the bleeding of all unreacted dyes from the ground in the aftertreatment of printing &
		dyeing for all types of dyes.
		• Dye fixing agent for dyed fabrics & indigo dyed fabrics.
		• Improves rub & washing fastness of all types of dyes & indigo dyed denim garments.
		• Excellent degreaser & antibackstaining.
		• check other Applications & the suggested recipes in below technical leaflet for wool , acrylic, silk
		degumming, as well as Stripping & lightening

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9,square 1163,El Shaheed Fouad Thabet St.,El Wozara square Sheraton Heliopolis.Cairo- Egypt

Tel: +20222683983, +201228099699 , +202 2268466 E-mail: logistics@gb-chem.net , gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt

Tel.:+203 4819240, +201221148181 , +203 4817565 E-mail: logistics@gb-chem.net , gbchemalex@gb-chem.net