

Coating & Sizing

| | | |
|---|-------------------------------------|--|
| 1 | GB copolymer | Wash fast finishing agent. APEO free, it's used as soft filing. binder and coating agent for Non-woven, needle felts and carpets. Adhesive for industrial applications. & anti slipping & anti cleavage |
| 2 | GB copolmer Plus | Wash fast finishing agent. APEO free, it's used as soft filing. binder and coating agent for Non-woven, needle felts and carpets. Adhesive for industrial applications. & anti slipping & anti cleavage |
| 3 | GB copolymer Soft Tacky free | Aqueous, self-cross linking polymer dispersion for coating and laminating textiles and nonwovens composed of all fiber types and their blends. High quality coating & granting excellent outstanding new handle & is used as anti slipping finishing agent . Viscose (pasty) Copolymer dispersion of high solid content & can be used without adding synthetic thickener to save cost . |
| 4 | GB copolymer Hard | Aqueous, self-crosslinking polymer dispersion for coating textiles and nonwovens composed of all fiber types and their blends. |
| 5 | GB copolymer Hard Tacky Free | Aqueous, self-crosslinking polymer dispersion for coating textiles and nonwovens composed of all fiber types and their blends. |
| 6 | GB copolymer Soft Tacky | Aqueous polyurethane dispersion for low odor paints and textured finishes for interior and exterior use as well as high quality بولي يوريشان binders for leather, Polypropylene, Aramid, Nomex,PVC ... |
| 7 | GB size ECO | Water-soluble sizing agent for polyester filament yarns.Water-soluble sizing agent for warp yarns composed of cellulosic fibers andpolyester/cellulosic fiber blends. GBsize ECO is particularly suitable for sizing of denim warps. |

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9,square 1163,El Shaheed Fouad Thabet St.,El Wozara square Sheraton Heliopolis.Cairo- Egypt

Tel: +20222683983, +201228099699 , +202 2268466 E-mail: logistics@gb-chem.net , gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt

Tel.:+203 4819240, +201221148181 , +203 4817565 E-mail: logistics@gb-chem.net , gbchemalex@gb-chem.net

| | | |
|----|----------------------------|---|
| 8 | GBsize PP Conc. | Size for staple-fiber yarns composed of cellulosic fibers, polyester/ cellulosic blends, wool and polyester/wool blends. adhesive for general purposes |
| 9 | GBsize CO conc | Concentrated Water-soluble sizing agent for polyester filament yarns. Concentrated Water-soluble sizing agent for warp yarns composed of cellulosic fibers and polyester/cellulosic fiber blends. GBsize CO Conc. is particularly suitable for sizing of denim warps. |
| 10 | GBspinning Wax | Sizing wax as an additive to sizing liquors and for post-waxing |
| 11 | GBwax P | Sizing wax added to sizing liquors. Used for the finishing of woven and knitted goods composed of cellulose fibres and their blends with synthetic fibres. - Exceptionally suited as a smoothing agent. - Improves tear strength and abrasion resistance. - Improves sewability. - When applied in resin finishing GBwax P reduces the tendency to creasing. - The achieved effects are very good wash resistant. - Suitable for embossed, schreiner and chintz finishing. |
| 12 | GBspinning Wax Plus | concentrated Sizing wax as an additive to sizing liquors and for post-waxing. |

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9, square 1163, El Shaheed Fouad Thabet St., El Wozara square Sheraton Heliopolis. Cairo- Egypt

Tel: +20222683983, +201228099699, +202 2268466 E-mail: logistics@gb-chem.net, gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt

Tel.: +203 4819240, +201221148181, +203 4817565 E-mail: logistics@gb-chem.net, gbchemalex@gb-chem.net

| | | |
|----|---------------------------|--|
| 13 | GB spinning Oil AF | Up to date spinning / weaving & sewing oil. (high viscosity) Granting high luster , brilliance as well as higher strength . |
| 14 | GB wax P Extra | Conc. Sizing wax added to sizing liquors. Used for the finishing of woven and knitted goods composed of cellulose fibres and their blends with synthetic fibers. - Exceptionally suited as a smoothing agent. - Improves tear strength and abrasion resistance. - Improves sewability. - When applied in resin finishing GBwax P Extra reduces the tendency to creasing. - The achieved effects are very good wash resistant. - Suitable for embossed, schreiner and chintz finishing |
| 15 | GB size UCF powder | Sizing agent for warp yarns composed of cellulosic fibers, polyester/cellulosic fiber blends, wool, polyester/wool fiber blends, polyester, and acrylic spun yarns. Biodegradable & Suitable for size recycling |

ISO 9001:2015

ISO 14001:2015

ISO 45001:2018

Cairo head office: 9,square 1163,El Shaheed Fouad Thabet St.,El Wozara square Sheraton Heliopolis.Cairo- Egypt

Tel: +20222683983, +201228099699 , +202 2268466 E-mail: logistics@gb-chem.net , gbchem@gb-chem.net

Alex. Office: 6, Talat Harb St., Downtown Alexandria, Egypt

Tel.:+203 4819240, +201221148181 , +203 4817565 E-mail: logistics@gb-chem.net , gbchemalex@gb-chem.net